

TARIFA PRECIOS

GROUND ZERO AUDIO

VALIDA DESDE ENERO 2019

VERS. 2019.01.01

Con la publicación de esta lista de precios, todas las listas de precios anteriores no son válidas.
Errores, erratas y cambios de precios reservados.
Todos los precios mencionados son precios en euros.

Audiosonido España s.a
Telefonos : +34 934550727 - 661888080
Web : www.ground-zero-audio.com - Instagram/ facebook :audiosonido car audio.
Web : www.audiosonido.com- Email : Daniel@audiosonido.com

PVP

Cualquier copia, divulgación o distribución no autorizada del material en este correo electrónico está estrictamente prohibida y puede ser procesada.

CONTENTS

1. HOME AUDIO	PAGINA
1.1 THE REFERENCE	3
2. AMPLIFIERS- AMPLIFICADORES	PAGINA
2.1 REFERENCE	3
2.2 PLUTONIUM	4
2.3 NUCLEAR	4
2.4 URANIUM	5
2.5 HYDROGEN	5
2.6 RADIOACTIVE	6
2.7 TITANIUM	7
2.8 IRIDIUM	8
2.9 COMPETITION	9
3. SOUND UPGRADE	PAGINA
3.1 SOUND UPGRADE	10
4. SUBWOOFERBOXES	PAGINA
4.1 URANIUM	15
4.2 IRIDIUM	15
5. SUBWOOFER	PAGINA
5.1 PLUTONIUM	17
5.2 NUCLEAR	18
5.3 URANIUM	18
5.4 HYDROGEN	19
5.5 RADIOACTIVE	20
5.6 TITANIUM	20
5.7 IRIDIUM	21
6. SPEAKERS-ALTAVOCES	PAGINA
6.1 REFERENCE	22
6.2 PLUTONIUM	23
6.3 NUCLEAR	25
6.4 URANIUM	26
6.5 COMPETITION	27
6.6 RADIOACTIVE	30
6.7 TITANIUM	32
6.8 IRIDIUM	33
7. MULTIMEDIA	PAGINA
7.1 MULTIMEDIA	35
8. ACCESSORIES	PAGINA
8.1 SPEAKER TEST SYSTEM	35
8.2 CAPACITORS	35
8.3 CABLE KITS	36
8.4 CABLE SPOOLS	37
8.5 DAMPING	40
8.6 PORTS & GRILLS	41
8.7 POWER ACCESSORIES	43

	Producto	EAN	Description	PVP rec
1. HOME AUDIO				
1.1 REFERENCE				
	THE REFERENCE	4037072018127	2-way D'Appolito technology creating realistic sound stage and ambience High end drivers and crossovers "Made in Germany" Klippel® optimized 18 cm / 7" mid woofers with coated paper cone 28 mm / 1.1" tweeter with 2-layer hand coated silk dome 18 dB/oct Mundorf® crossover with high end Mcaps® and baked wire treatment Mcoils® Low resonance tear-drop shaped bass-reflex enclosure with multi-layer high gloss painting High efficient down firing technology extending the low frequency response	EUR 7.500,00
2. AMPLIFIER				
2.1 REFERENCE				
	GZPA Reference 2XS	4037072007893	2 channel High End SQ Class AB amplifier 2 x 200WRMS @ 4 ohm 2 x 380WRMS @ 2 ohm	EUR 1.499,00
	GZPA Reference 4XS	4037072007909	4 channel High End SQ Class AB amplifier 4 x 120WRMS @ 4 ohm 4 x 220WRMS @ 2 ohm	EUR 1.499,00
	GZPA Reference 2SYM	4037072014877	2 channel High End SQ Class AB amplifier Symmetrical dual mono 2 x 420 WRMS @ 4 ohm 2 x 750 WRMS @ 2 ohm 2 x 1150 WRMS @ 1 ohm	EUR 2.499,00
	GZPA Reference 4SYM	4037072014884	4 channel High End SQ Class AB amplifier Symmetrical dual 2 channel 4 x 150 WRMS @ 4 ohm 4 x 270 WRMS @ 2 ohm 4 x 425 WRMS @ 1 ohm	EUR 2.499,00
	GZPA Reference 2PURE	4037072014624	2 Channel PURE High End SQ Class AB Amp Direct signal symmetrical dual mono 2 x 420 WRMS @ 4 ohm 2 x 750 WRMS @ 2 ohm 2 x 1150 WRMS @ 1 ohm	EUR 3.499,00
	GZPA Reference 4PURE	4037072014631	4 Channel PURE High End SQ Class AB Amp Direct signal symmetrical dual 2 channel 4 x 150 WRMS @ 4 ohm 4 x 270 WRMS @ 2 ohm 4 x 425 WRMS @ 1 ohm	EUR 3.499,00

2.2 PLUTONIUM

	GZPA 2SQ	No EAN yet	2 channel High End SQ Class AB amplifier 2 x 150 WRMS @ 4 ohm 2 x 280 WRMS @ 2 ohm 2x 450 WRMS @ 1 ohm	EUR 999,00
	GZPA 4SQ	No EAN yet	4 channel High End SQ Class AB amplifier 4 x 110 WRMS @ 4 ohm 4 x 200 WRMS @ 2 ohm 4x 300 WRMS @ 1 ohm	EUR 1.199,00
	GZPA 1.4K-HCX	4037072014600	1 Channel Class D Monoamp Output power 4/2/1 Ohm 1200 / 2400 / 4000 WRMS	EUR 899,00
	GZPA 1.6K-HCX	4037072014617	1 Channel Class D Monoamp Output power 4/2/1 Ohm 1700 / 3200 / 5800 WRMS	EUR 1.679,00
	GZPA 1.10K-HCX	4037072014952	1 Channel Class D Monoamp Output power 4/2/1 Ohm 3200 / 5900 / 10500 WRMS	EUR 4.299,00

2.3 NUCLEAR

	GZNA 1.2550DXII	4037072013993	1 Channel Class D Monoamp Output power @ 4/2/1 Ohm 850 / 1500 / 2400 WRMS	EUR 779,00
	GZNA 2850XII	4037072014006	2 Channel Class AB amplifier 2 x 450WRMS @ 4 ohm 2 x 850WRMS @ 2 ohm 2 x 1300WRMS @ 1 ohm	EUR 779,00
	GZNA 4330XII	4037072014013	4 Channel Class AB amplifier 4 x 200WRMS @ 4 ohm 4 x 350WRMS @ 2 ohm 4 x 550WRMS @ 1 ohm	EUR 749,00
	GZTA Bassremote	4037072008388	Bass remote for GZIA /GZTA/GZHA/GZNA amps	EUR 25,00

2.4 URANIUM				
	GZUA 2.250SQ-PLUS	4037072016857	2 Channel SQ-Plus Class AB amplifier 2 x 180WRMS @ 4 ohm 2 x 320WRMS @ 2 ohm 2 x 500WRMS @ 1 ohm	EUR 649,00
	GZUA 4.150SQ-PLUS	4037072016864	4 Channel SQ-Plus Class AB amplifier 4x 110WRMS @ 4 ohm 4 x 190WRMS @ 2 ohm	EUR 649,00
	GZUA 6.200SQ-PLUS	4037072016871	6 Channel SQ-Plus Class AB amplifier 4 x 110WRMS & 2x 160WRMS @ 4 ohm 4 x 160WRMS & 2x 280WRMS @ 2 ohm	EUR 1.099,00
2.5 HYDROGEN				
	GZHA 1.1850DXII	4037072013764	1 Channel Class D Monoamp Output power 4/2/1 Ohm 700 / 1200 / 1850 WRMS	EUR 549,00
	GZHA 2400XII	4037072013832	2 Channel Class AB amplifier 2 x 270WRMS @ 4 ohm 2 x 480WRMS @ 2 ohm 2 x 750WRMS @ 1 ohm	EUR 499,00
	GZHA 4200XII	4037072013740	4 Channel Class AB amplifier 4 x 140WRMS @ 4 ohm 4 x 200WRMS @ 2 ohm	EUR 429,00
	GZHA MINI ONE	4037072016086	1 Channel Class D Monoamp Output power 4/2/1 Ohm 220 / 390 / 630 WRMS	EUR 229,00
Picture coming soon	GZHA MINI ONE-K	No EAN yet	1 Channel Class D Monoamp Output power 4/2/1 Ohm 320 / 550 / 900 WRMS incl. bass remote control	EUR 299,00
	GZHA MINI TWO	4037072016093	2 Channel Class AB amplifier 2 x 130WRMS @ 4 ohm 2 x 230WRMS @ 2 ohm	EUR 229,00
	GZHA MINI FOUR	4037072016109	4 Channel Class AB amplifier 4 x 80WRMS @ 4 ohm 4 x 130WRMS @ 2 ohm	EUR 279,00

	GZTA Bassremote	4037072008388	Bass remote for GZIA /GZTA/GZHA/GZNA amps	EUR 25,00
--	------------------------	---------------	--	------------------

2.6 RADIOACTIVE

	GZRA 1.1650DX	4037072016314	1 Channel Class D Monoamp Output power 4/2/1 Ohm 650 / 1250 / 1800 WRMS	EUR 439,00
	GZRA 1.2500DX	4037072016307	1 Channel Class D Monoamp Output power 4/2/1 Ohm 750 / 1400 / 2200 WRMS	EUR 629,00
	GZRA 2255X	4037072016529	2 Channel Class AB amplifier 2 x 150WRMS @ 4 ohm 2 x 250WRMS @ 2 ohm	EUR 199,00
	GZRA 4230X	4037072016291	4 Channel Class AB amplifier 4 x 140WRMS @ 4 ohm 4 x 230WRMS @ 2 ohm	EUR 329,00
	GZRA MICRO ONE	4037072014341	1 Channel Micro Class D Monoamp Output power 4/2 Ohm 220 / 350 WRMS Dimensions (w x h x l): 7.5 x 4.4 x 19 cm / 2.95" x 1.73" x 7.48"	EUR 249,00
	GZRA MICRO FOUR	4037072014358	4 Channel Micro Class AB amplifier 4 x 60WRMS @ 4 ohm 4 x 100WRMS @ 2 ohm Dimensions (w x h x l): 7.5 x 4.4 x 19 cm / 2.95" x 1.73" x 7.48"	EUR 249,00

2.7 TITANIUM

	GZTA 1.800DX-II	4037072016147	1 Channel Class D Monoamp Output power 4/2/1 Ohm 350 / 550 / 850 WRMS	EUR 289,00
	GZTA 1.1200DX-II	4037072016048	1 Channel Class D Monoamp Output power 4/2/1 Ohm 400 / 800 / 1300 WRMS	EUR 339,00
	GZTA 2155X-II	4037072016376	2 Channel Class AB amplifier 2 x 100WRMS @ 4 ohm 2 x 150WRMS @ 2 ohm	EUR 149,00
	GZTA 4125X-II	4037072016352	4 Channel Class AB amplifier 4 x 90WRMS @ 4 ohm 4 x 130WRMS @ 2 ohm	EUR 239,00
	GZTA 1.800DXII-24V	4037072016161	24 Volt 1 Channel Class D Monoamp Output power 4/2/1 Ohm 350 / 550 / 850 WRMS	EUR 299,00
	GZTA 4125XII-24V	4037072016178	24 Volt 4 Channel Class AB amplifier 4 x 90WRMS @ 4 ohm 4 x 130WRMS @ 2 ohm	EUR 249,00
	GZTA 5120X-II	4037072016062	5 Channel Class AB amplifier 4 x 50WRMS & 1 x 180WRMS @ 4 ohm 4 x 70WRMS & 1 x 260WRMS @ 2 ohm	EUR 299,00
	GZTA Bassremote	4037072008388	Bass remote for GZIA /GZTA/GZHA/GZNA amps	EUR 25,00


2.8 IRIDIUM

	GZIA 1.600HPX-II	4037072015935	1 Channel Class AB Monoamp Output power 4/2/1 Ohm 230 / 400 / 600 WRMS	EUR 199,00
	GZIA 1.1000DX-II	4037072015911	1 Channel Class D Monoamp Output power 4/2/1 Ohm 350 / 650 / 1000 WRMS	EUR 249,00
	GZIA 1.1450DX-II	4037072015973	1 Channel Class D Monoamp Output power 4/2/1 Ohm 400 / 750 / 1250 WRMS	EUR 299,00
	GZIA 2080HPX-II	4037072015669	2 Channel Class AB amplifier 2 x 60WRMS @ 4 ohm 2 x 80WRMS @ 2 ohm	EUR 99,00
	GZIA 2130HPX-II	4037072015959	2 Channel Class AB amplifier 2 x 85WRMS @ 4 ohm 2 x 130WRMS @ 2 ohm	EUR 129,00
	GZIA 2235HPX-II	4037072015683	2 Channel Class AB amplifier 2 x 150WRMS @ 4 ohm 2 x 235WRMS @ 2 ohm	EUR 159,00
	GZIA 4115HPX-II	4037072015706	4 Channel Class AB amplifier 4 x 70WRMS @ 4 ohm 4 x 115WRMS @ 2 ohm	EUR 179,00
	GZTA Bassremote	4037072008388	Bass remote for GZIA /GZTA/GZHA/GZNA amps	EUR 25,00

2.9 COMPETITION

	GZCA 1.2K-SPL	4037072016888	1 Channel Class D Monoamp Output power 2/1 Ohm 675 / 1350 WRMS	EUR 329,00
	GZCA 3.0K-SPL	4037072016895	1 Channel Class D Monoamp Output power 2/1 Ohm 1800 / 3400 WRMS	EUR 549,00
	GZCA 5.0K-SPL	4037072016901	1 Channel Class D Monoamp Output power 2/1 Ohm 2800 / 5600 WRMS	EUR 879,00
	GZCA 8.0K-SPL	4037072016918	1 Channel Class D Monoamp Output power 2/1 Ohm 4480 / 8960 WRMS	EUR 999,00
	GZCA 12K-SPL	4037072016925	1 Channel Class D Monoamp Output power 2/1 Ohm 9000 / 13700 WRMS	EUR 1.499,00
	GZCA 35K-SPL	4037072016932	1 Channel Class D Competition Monoamp Output power 1 Ohm 35000 WRMS (12.6 V)	EUR 3.999,00

3. SOUND UPGRADE				
3.1				
	GZMS 65LED-W	4037072018486	16,5 cm / 6.5" marine 2-way speaker enclosure - white Waterresistant enclosure / Various LED illumination Illumination remote control / screw terminals Massive, variable aluminum tube mounting Package content: 1 Pair including accessories	EUR 449,00
	GZMS 65LED-B	4037072018493	16,5 cm / 6.5" marine 2-way speaker enclosure - black Waterresistant enclosure / Various LED illumination Illumination remote control / screw terminals Massive, variable aluminum tube mounting Package content: 1 Pair including accessories	EUR 449,00
	GZRM 165X	4037072016413	16,5 cm / 6.5" Marine 2 way coax speaker 4 ohm, 70 / 120 W, 60 Hz - 25 kHz Water repellent and salt water resistant Perfect for use at outer decks of yachts or in humid areas White IMPP cone 13 mm / 0.51" PEI tweeter	EUR 79,00
Picture coming soon	GZDSP 4.70APP	No EAN yet	4-channel amplifier with 8-channel DSP 4x 70 Watt (@ 4 ohms) 4 channel high level input / 4 channel RCA input 4 channel RCA output Auto-on function for high and low level input Built-in BT interface for streaming and App control Optical digital input (TOSLINK / 12 to 96 kHz) 8x 25-band parametric equalizer (+/- 15 dB / Q: 0.3 ~ 15 / 20 Hz - 20 kHz) Time delay correction 0 ~ 20 ms / 0 ~ 680 cm Adjustable Butterworth / Linkwitz-Riley / Bessel filter HPF / LPF / BPF (slope 6 - 48 dB/oct) Phase shift each channel 0 / 180° Adjustable Remote-out delay	EUR 399,00
Picture coming soon	GZDSP 4-8X	No EAN yet	Digital Signal Processor 4 input / 8 output channels High and low level input Auto-on function for high and low level input BT-USB connector input (for optional USB dongle GZDSP BT-Stick) 8x 10-band parametric equalizer (+/- 12 dB / Q: 0.4 ~ 28 / 20 Hz - 20 kHz) Time delay correction 0 ~ 8 ms / 0 ~ 277 cm Adjustable Butterworth / Linkwitz-Riley / Bessel filter HPF / LPF / BPF (slope 6 - 24 dB/oct) High and low shelving function Phase shift each channel 0 / 180° Remote control included English & Chinese software / GUI	EUR 299,00
	GZDSP 6-8X	4037072015393	Digital Sound Processor 6 in / 8 out High- / and low-level inputs / DC-Auto-On at high-level-in TOSLINK input (optical 12 ~ 96 kHz) / 3.5 mm jack stereo AUX-Input 6 x 31 Band Equalizer (-18 ~ +12 dB / Q: 0.5 ~ 9) 20 - 20000 Hz 2 x 11 Band Equalizer (-18 ~ +12 dB / Q: 0.5 ~ 9) 20 - 200 Hz Time delay correction 0 ~ 15 ms / 0 ~ 510 cm Adjustable Butterworth HPF / LPF / BPF with 6 - 48 dB slope Phase shift each channel 0 / 180° 10 presets individually programmable	EUR 349,00
	GZDSP 4.80AMP	4037072017878	4-Channel amplifier with integrated signal processor (DSP) High efficient 2 Ohm stable class D amplifier 6-channel line input (RCA) and high-level input (with auto-on function) 4-channel line output (RCA) Plug for optional wireless music streaming interface (GZDSP BT-Box) TOSLINK input (sampling rate up to 24-bit/96 kHz) AUX input (3.5 mm socket) Integrated DSP (GZDSP 6-8X) 4x 80 / 130 Watts RMS @ 4 / 2 Ohm load Optional remote control (GZDSP Remote / GZDSP Touch-Remote)	EUR 499,00

	GZDSP Remote	4037072015553	Remote control for GZDSP 6-8X Master volume control Sub-out volume control Input mode selection Preset selection	EUR 65,00
	GZDSP BT-Box	4037072018035	Wireless music streaming interface Including connection cable Compatible with GZDSP 4.60ISO and 4.80AMP	EUR 99,00
	GZCS 4.60ISO	4037072010251	High efficient plug and play analog amplifier 4 x 70 W @ 4 ohm 4 x 90 W @ 2 ohm 3-channel mode 4 x 70 and 1 x 180W @ 4 ohm	EUR 279,00
	GZDSP 4.60ISO	4037072017731	4-Channel upgrade amplifier (ISO) with integrated signal processor (DSP) High efficient 2 Ohm stable class D amplifier High-level input (with auto-on function) 2-channel line output (RCA) Plug for optional wireless music streaming interface (GZDSP BT-Box) TOSLINK input (sampling rate up to 24-bit/96 kHz) AUX input (3.5 mm socket) 1 m / 3.28 ft cable harness included Integrated DSP (GZDSP 6-8X) 4x 40 / 60 Watts RMS @ 4 / 2 Ohm load Optional remote control (GZDSP Remote)	EUR 399,00
	GZCS 4.0BMW-CONNECT	4037072018110	BMW / MINI specific cabel harness 4m / 13.12 ft stereo for BMW / MINI with basic sound system High quality copper wire, BMW specific connectors Optimized for GZRA MICRO FOUR with GZCS 200BMW-SW and GZCS 100BMW-A/B/C/D and MINI-A	EUR 99,00
	GZCS ISO-Quadlock	4037072014266	ISO-QUADLOCK Adapter for ISO connected plug and play amplifiers High quality copper cable for VW / Audi / BMW / Mercedes etc. until 2013	EUR 45,00
	GZCS ISO-Quadlock II	4037072015768	ISO-QUADLOCK II Adapter for ISO connected plug and play amplifiers High quality copper cable for VW / Audi / BMW / Mercedes etc. from 2013 on	EUR 49,00

	GZTB 20ACT	4037072015720	20 cm / 8" flat active subwoofer Strong plastic injection enclosure Lowpass 50-100Hz Build in high power amp 100 WRMS / 160 WMAX incl. bass remote and high-level input with auto-on 72 mm / 2.83" height	EUR 199,00
Picture coming soon	GZTB 25ACT	4037072018677	25 cm / 10" flat active subwoofer Strong plastic injection enclosure Lowpass 50-100Hz Build in high power amp 100 WRMS / 160 WMAX incl. bass remote and high-level input with auto-on 79 mm / 3.11" height	EUR 249,00
	GZUB 600XACTII	4037072015744	16 cm / 6" flat active subwoofer Massive aluminum cast housing Lowpass 50-100Hz Build in high power amp 100 WRMS / 160 WMAX incl bass remote and high-level input with auto-on 7,2 cm / 2.83" height	EUR 249,00
	GZUB 800XACTII	4037072013894	20 cm / 8" flat active subwoofer Massive aluminum cast housing Lowpass 50-100Hz Build in high power amp 120 WRMS / 180 WMAX incl. bass remote and high-level input with auto-on 6,8 cm / 2.68" height	EUR 279,00
	GZUB 1000XACTII	4037072013900	25 cm flat active subwoofer Massive aluminum cast housing Lowpass 50-100Hz Build in high power amp 150 WRMS / 210 WMAX incl. bass remote and high-level input with auto-on 7,8 cm / 3.07" height	EUR 349,00
	GZCS 10SUB	4037072016604	25 cm passive spare wheel subwoofer Efficient downfire technology High power 2x 2 Ohm 10" subwoofer Reinforced paper cone Power handling 300 Watt 62,0 x 44,0 x 12,0 cm (14,5cm mit Gummifüßen) / 24.40" x 17.32" x 4.72" (5.71" including rubber feet)	EUR 179,00
	GZCS 10SUB-ACT	4037072016611	25 cm active spare wheel subwoofer Efficient downfire technology High power 2x 2 Ohm 10" subwoofer Reinforced paper cone 150 WRMS / 300 WMAX amplifier 62,0 x 44,0 x 12,0 cm (14,5cm mit Gummifüßen) / 24.40" x 17.32" x 4.72" (5.71" including rubber feet)	EUR 299,00
	GZBR 200BMW	4037072007282	BMW Mounting bracket for 20cm woofer Made for GZMW 200NEO, GZRW 8FL; 2pcs. in set	EUR 39,00

	GZCS 165VW	4037072018691	16,5 cm / 6.5" HQ 2 way car specific compo system 3 ohm, 120 / 190 W, 35 Hz - 26 KHz Aluminum cone, rubber surround, Nomex spider Copper cap for impedance linearizing, high efficient voice coil 25 mm / 1" Titanium dome tweeter VW specific installation (see compatibility chart) Accessories set included	EUR 279,00
Picture coming soon	GZCS 100MB	4037072018714	10 cm / 4" HQ 2-way car specific compo system Mercedes specific installation (see compatibility chart)	EUR 299,00
Picture coming soon	GZCS 200MBL-LHD	4037072018738	200 mm / 8" car specific subwoofer Mercedes specific installation (see compatibility chart) Suitable for left hand drive vehicles / driver side ☐	EUR 229,00
Picture coming soon	GZCS 200MBR-LHD	4037072018745	200 mm / 8" car specific subwoofer Mercedes specific installation (see compatibility chart) Suitable for left hand drive vehicles / passenger side	EUR 229,00
	GZCS 200BMW-SW	4037072016390	20 cm / 8" car specific subwoofer - 1 pair Extra flat BMW specific subwoofer with neodymium-motor 100 WRMS / 160 WMAX, 50 mm / 2" copper voice coil, coated paper cone SPL 86 dB, impedance 2 Ohm	EUR 329,00
	GZCS 100BMW-A	4037072016758	10 cm / 4" car specific 2 way compo system "Made in Germany" Power handling 50 W RMS / 100 W MAX Frequency range 100 Hz - 25 KHz, SPL 87 dB 3.3 Ohm midwoofer with paper-fibre cone & rubber surround 1.02" copper voice coil, BIMAX spider 3.0 Ohm 25 mm / 1" titanium dome tweeter incl. in-line crossover	EUR 279,00
	GZCS 100BMW-B	4037072016765	10 cm / 4" car specific 2 way compo system "Made in Germany" Power handling 50 W RMS / 100 W MAX Frequency range 100 Hz - 25 KHz, SPL 87 dB 3.3 Ohm midwoofer with paper-fibre cone & rubber surround 1.02" copper voice coil, BIMAX spider 3.0 Ohm 25 mm / 1" titanium dome tweeter incl. in-line crossover	EUR 279,00
	GZCS 100BMW-C	4037072016772	10 cm / 4" car specific 2 way compo system "Made in Germany" Power handling 50 W RMS / 100 W MAX Frequency range 100 Hz - 25 KHz, SPL 87 dB 3.3 Ohm midwoofer with paper-fibre cone & rubber surround 1.02" copper voice coil, BIMAX spider 3.0 Ohm 25 mm / 1" titanium dome tweeter incl. in-line crossover	EUR 279,00
	GZCS 100BMW-D	4037072016789	10 cm / 4" car specific 2 way compo system "Made in Germany" Power handling 50 W RMS / 100 W MAX Frequency range 100 Hz - 25 KHz, SPL 87 dB 3.3 Ohm midwoofer with paper-fibre cone & rubber surround 1.02" copper voice coil, BIMAX spider 3.0 Ohm 25 mm / 1" titanium dome tweeter incl. in-line crossover	EUR 279,00
	GZCS 100MINI	4037072016796	10 cm / 4" car specific 2 way compo system "Made in Germany" Power handling 50 W RMS / 100 W MAX Frequency range 100 Hz - 25 KHz, SPL 87 dB 3.3 Ohm midwoofer with paper-fibre cone & rubber surround 1.02" copper voice coil, BIMAX spider 3.0 Ohm 25 mm / 1" titanium dome tweeter incl. in-line crossover	EUR 279,00

	GZCS 8.7CX	4037072017533	8,7 cm / 3.5" car specific 2-way coax speaker 4 ohm, 50 / 90 W, 100 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter	EUR 39,00
	GZCS 46CX	4037072017540	10 x 15 cm / 4" x 6" car specific 2-way coax speaker 4 ohm, 70 / 110 W, 80 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Special size for older VW, Porsche, Audi, ...	EUR 59,00
	GZCS 12CX	4037072017557	12 cm / 4.65" car specific 2-way coax speaker 4 ohm, 60 / 100 W, 75 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Special size for older Mercedes Benz models	EUR 54,00
Picture coming soon	GZWR 10M	4037072018073	Universal wireless streaming interface Touch screen with white LED illumination AUX input / RCA output / Remote in and output Waterproof housing with chromed bezel BT connection to MP3 player / smartphone	EUR 119,00
	GZCV 2.0HL	4037072011326	High-low level converter 1:1 converter	EUR 55,00
	GZ PROtect	4037072017045	High power speaker protection circuit - 1 piece Protects speakers against clipping and electrical overload Screw terminal Including 3 different protection-soffits (5W, 10W, 20W) Power handling 150 W MAX, min. 2 Ohm impedance load	EUR 29,00
	GZTA Bassremote	4037072008388	Bass remote for GZIA /GZTA/GZHA/GZNA amps	EUR 25,00

4. SUBWOOFERBOXES				
4.1 URANIUM				
	GZUB 30SQ	4037072010732	Sealed SQ box incl. GZUW 12SQX 1 x 30 cm / 12", 600 WRMS 2x2 ohm Handmade in Europe, 25 mm MDF Stable and lightweight paper cone, Audiophile POLYCOT spider	EUR 339,00
4.2 IRIDIUM				
	GZIB 200XBR	4037072017830	Front bass tunnel box - 20 cm / 8" subwoofer 150 WRMS, 4 Ohm Front bass tunnel enclosure with 17 liter / 0.6 cu.ft	EUR 119,00
	GZIB 250XBR	4037072018448	Front bass tunnel box - 25 cm / 10" subwoofer 250 WRMS, 4 Ohm Front bass tunnel enclosure with 26 liter / 0.92 cu.ft	EUR 149,00
	GZIB 300XBR	4037072017854	Front basst unnel box - 30 cm / 12" subwoofer 350 WRMS, 4 Ohm Front bass tunnel enclosure with 37 liter / 1.31 cu.ft	EUR 165,00
	GZIB 2.300XBR	No EAN yet	Front bass tunnel box - 2x 30 cm / 12" woofer 700 WRMS, 2 x 2 Ohm Front bass tunnel enclosure with 70 liter / 2.47 cu.ft	EUR 329,00
	GZIB 3000XSPL	4037072018424	Front bass tunnel SPL box incl. GZIW 12SPL 1000 W SPL Power, 2x2 ohm Front bass tunnel enclosure with 45 liter / 1.589 cu.ft	EUR 229,00
	GZIB 2.3000XSPL	4037072018417	Front bass tunnel SPL box incl. 2 x GZIW 12SPL 2 x 30 cm / 2 x 12", 2000 W SPL Power, 4x2 ohm Front bass tunnel enclosure with 82 liter 2.895 cu.ft	EUR 449,00

	GZIB 200XBR-ACT	4037072017847	Active front bass tunnel box - 20 cm / 8" Build in high power amp 100 WRMS / 200 WMAX High-level input with auto-on	EUR 249,00
	GZIB 250XBR-ACT	4037072018455	Active front bass tunnel box - 25 cm / 10" Build in high power amp 130 WRMS / 250 WMAX High-level input with auto-on "	EUR 279,00
	GZIB 300XBR-ACT	4037072017861	Active front bass tunnel box - 30 cm / 12" Build in high power amp 150 WRMS / 300 WMAX High-level input with auto-on	EUR 279,00
	GZ BASS KIT 12.300	4037072016031	Bass Kit incl. GZBA 2.300 amp 37 l front bass tunnel enclosure with 30 cm / 12" subwoofer, IMPP cone, 4 Ohm Class A/B amplifier, 300 W MAX @ 4 Ohm, bass boost High-level input with auto-on, variable low pass filter	EUR 229,00
	GZ BASS KIT 12.300 incl. Cable	4037072016437	Bass Kit incl. GZBA 2.300 amp & GZPK 10XLC 37 l front bass tunnel enclosure with 30 cm / 12" subwoofer, IMPP cone, 4 Ohm Class A/B amplifier, 300 W MAX @ 4 Ohm, bass boost High-level input with auto-on, variable low pass filter Including 10 mm² / 8 AWG wiring kit	EUR 254,00

5. SUBWOOFER				
5.1 PLUTONIUM				
	GZ GERMANATOR	4037072016963	33" ÜBERWOOFER by Ground Zero More Details coming soon...	EUR 5.995,00
	GZPW 12SPL EXTREME	Not fixed yet	30 cm / 12" Subwoofer, 10000 W SPL Power 2 x 1 ohm, 75 mm / 3" Alu voice coil, Handmade in Europe Carbon sandwich cone, 4x spider, Fs 39,9 Hz, Qts 0.40, SPL 92.2dB	EUR 1.699,00
	GZPW 15SPL EXTREME	4037072003581	38 cm / 15" Subwoofer, 15000 W SPL Power 2 x 1 ohm, 100 mm / 4" CCA voice coil, Handmade in Europe Carbon sandwich cone, 5x spider, Fs 46,7 Hz, Qts 0.31, SPL 92 dB	EUR 2.499,00
	GZPW 18SPL EXTREME	4037072003598	46 cm / 18" Subwoofer, 15000 W SPL Power 2 x 1 ohm, 100 mm / 4" CCA voice coil, Handmade in Europe Carbon sandwich cone, 5x spider, Fs 45.1 Hz, Qts 0.31, SPL 92 dB	EUR 2.899,00
	GZPW 10SPL	4037072007916	25 cm / 10" Subwoofer, 6500 W SPL Power 2 x 1.6 ohm, 75 mm / 3" Alu voice coil, Paper-glassfiber-kevlar mix cone, 4x spider, Fs 51.7 Hz, Qts 0.40, SPL 89.7dB	EUR 899,00
	GZPW 12SPL	4037072000108	30 cm / 12" Subwoofer, 6500 W SPL Power 2 x 1 ohm, 75 mm / 3" Alu voice coil, Paper-glassfiber-kevlar mix cone, 4x spider, Fs 39.9 Hz, Qts 0.40, SPL 92.2dB	EUR 1.199,00
	GZPW 15SPL	4037072001952	38 cm / 15" Subwoofer, 10000 W SPL Power 2 x 1 ohm, 100 mm / 4" Alu voice coil, Paper-glassfiber-kevlar mix cone, 4x spider, Fs 39.1 Hz, Qts 0.23, SPL 92.8 dB	EUR 1.899,00
	GZPW 18SPL	4037072002065	46 cm / 18" Subwoofer, 10000 W SPL power 2 x 1 ohm, 100 mm / 4" Alu voice coil, Paper-glassfiber-kevlar mix cone, 4x spider, Fs 34.0 Hz, Qts 0.26, SPL 95.1 dB	EUR 2.099,00
	GZPW 15Xmax	4037072017403	38 cm / 15" Subwoofer, 6000 WRMS 2 x 1 ohm, 100 mm / 4" CCA US-made voice coil, Massive aluminum cone, 4x Nomex spider Fs 33.3 Hz, Qts 0.44	EUR 1.199,00
	GZPW 15NEO-SPL	4037072018523	38 cm / 15" Pure Competition Subwoofer, 20000 W SPL Power 2x 1 ohm, 100 mm / 4" 4-layer aluminum voice coil Multi-neodymium magnet Fs 41.2 Hz / Qts 0.15 / SPL 92.4 dB	EUR 2.999,00

5.2 NUCLEAR

	GZNW 12Xmax	4037072017410	30 cm / 12" Subwoofer, 3000 WRMS 2 x 1 ohm, 75 mm / 3" CCA US-made voice coil, Massive aluminum cone, 4x Nomex spider Fs 35.6.1 Hz, Qts 0.61, SPL 83 dB	EUR 699,00
	GZNW 15Xmax	4037072017427	38 cm / 15" Subwoofer, 4000 WRMS 2 x 1 ohm, 75 mm / 3" CCA US-made voice coil, Massive aluminum cone, 4x Nomex spider Fs 29.5 Hz, Qts 0.33, SPL 87 dB	EUR 899,00
Picture coming soon	GZNW 12X-Flex	4037072018509	30 cm / 12" SPL Subwoofer / 4500 W SPL 2x 1 ohm, 75 mm / 3" round wire CCA voice coil Reinforced paper cone / Progressive 4-layer spider Stabilized X-flex surround / Push terminals Fs 33.9 Hz / Qts 0.361 / SPL 87 dB	EUR 599,00
	GZNW 38NEO-SPL	4037072018530	38 cm / 15" Competition Subwoofer, 10000 W SPL Power 2x 1 ohm, 75 mm / 3" 8-layer aluminum voice coil Multi-neodymium magnet Fs 23.0 Hz / Qts 0.08 / SPL 92.5 dB	EUR 1.999,00

5.3 URANIUM

	GZUW 8SQ	4037072010466	20 cm / 8" SQ Subwoofer, 300 WRMS 2 x 2 ohm, 50 mm / 2" copper voice coil, Reinforced paper cone, audiophile POLYCOT spider Fs 44.5 Hz, Qts 0.46, SPL 86 dB	EUR 179,00
	GZUW 10SQX	4037072012767	25 cm / 10" SQ Subwoofer, 450 WRMS 2 x 2 ohm, 50 mm / 2" copper voice coil Reinforced paper cone, audiophile POLYCOT spider Fs 46.7 Hz, Qts 0.62, SPL 86 dB	EUR 199,00
	GZUW 12SQX	4037072008609	30 cm / 12" SQ Subwoofer, 600 WRMS 2 x 2 ohm, 50 mm / 2" copper voice coil Reinforced paper cone, audiophile POLYCOT spider FS 33.8 Hz, Qts 0.63, SPL 88 dB	EUR 249,00

5.4 HYDROGEN

Picture coming soon	GZHW 16SPL	No EAN yet	17 cm / 6.7" Subwoofer, 1000 W SPL 2x 1 ohm Fs 51.5 Hz / Qts 0.46 / SPL 80.7 dB	EUR 179,00
	GZHW 20SPL	4037072018257	20 cm / 8" Subwoofer, 1500 W SPL 2 x 1 ohm, 63 mm / 2.5" copper voice coil, double spider Reinforced paper cone, high-roll sandwich surround Fs 38.3 Hz, Qts 0.381, SPL 80 dB	EUR 219,00
	GZHW 25SPL	4037072018264	25 cm / 10" Subwoofer, 2500 W SPL 2 x 1 ohm, 63 mm / 2.5" copper voice coil, double spider Reinforced paper cone, high-roll sandwich surround Fs 41.8 Hz, Qts 0.487, SPL 83 dB	EUR 279,00
	GZHW 30SPL	4037072017434	30 cm / 12" Subwoofer, 3000 W SPL Power 2 x 1 ohm, 75 mm / 3" US-made copper voice coil, Fiber reinforced paper cone, 2x spider Fs 35.4 Hz, Qts 0.44	EUR 339,00
	GZHW 30SPL GOLD	4037072017434	Gold Edition 30 cm / 12" Subwoofer, 3000 W SPL Power 2 x 1 ohm, 75 mm / 3" US-made copper voice coil, Fiber reinforced paper cone, 2x spider Fs 35.4 Hz, Qts 0.44 Special edition, not a regular stock model Please see stock update for availability	EUR 349,00
	GZHW 30SPL PINK	4037072017670	Pink Edition 30 cm / 12" Subwoofer, 3000 W SPL Power 2 x 1 ohm, 75 mm / 3" US-made copper voice coil, Fiber reinforced paper cone, 2x spider Fs 35.4 Hz, Qts 0.44 Special edition, not a regular stock model Please see stock update for availability	EUR 349,00
	GZHW 30SPL GREEN	4037072017663	Green Edition 30 cm / 12" Subwoofer, 3000 W SPL Power 2 x 1 ohm, 75 mm / 3" US-made copper voice coil, Fiber reinforced paper cone, 2x spider Fs 35.4 Hz, Qts 0.44 Special edition, not a regular stock model Please see stock update for availability	EUR 349,00
	GZHW 38SPL	4037072017441	38 cm / 15" Subwoofer, 3500 W SPL Power 2 x 1 ohm, 75 mm / 3" US-made copper voice coil, Fiber reinforced paper cone, 2x spider Fs 36.3 Hz, Qts 0.52	EUR 449,00
	GZHW 38SPL GOLD	4037072018561	Gold Edition 38 cm / 15" Subwoofer, 3500 W SPL Power 2 x 1 ohm, 75 mm / 3" US-made copper voice coil, Fiber reinforced paper cone, 2x spider Fs 36.3 Hz, Qts 0.52 Special edition, not a regular stock model Please see stock update for availability	EUR 459,00
Picture coming soon	GZHW 38SPL GREEN	4037072018578	Green Edition 38 cm / 15" Subwoofer, 3500 W SPL Power 2 x 1 ohm, 75 mm / 3" US-made copper voice coil, Fiber reinforced paper cone, 2x spider Fs 36.3 Hz, Qts 0.52c Special edition, not a regular stock model Please see stock update for availability	EUR 459,00

	GZHW 46SPL	No EAN yet	46 cm / 18" Subwoofer, 4000 W SPL Power 2 x 1 ohm, 75 mm / 3" copper voice coil, Reinforced Paper Cone, massive triple magnet, double spider Fs 34.3 Hz, Qts 0.381, SPL 92 dB	Not fixed yet
--	-------------------	------------	--	----------------------

	GZHW 20X	4037072001815	20 cm / 8" Subwoofer, 400 WRMS 2 x 2 ohm, 50 mm / 2" copper voice coil, Aluminum cone, high x-max Connex spider Fs 36 Hz, Qts 0.35, SPL 82 dB	EUR 219,00
	GZHW 30X	4037072001839	30 cm / 12" Subwoofer, 800 WRMS 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Aluminum cone, high x-max Connex spider Fs 23.5 Hz, Qts 0.33, SPL 86 dB	EUR 299,00
	GZUP 10	4037072000818	25 cm / 10" Passive Radiator Aluminum cone, high x-max Connex spider for use with GZHW 25X / GZUW 10X	EUR 99,00
	GZUP 12	4037072000825	30 cm / 12" Passive Radiator Aluminum cone, high x-max Connex spider for use with GZHW 30X / GZUW 12X	EUR 119,00

5.5 RADIOACTIVE

	GZRW 8FL	4037072015379	20 cm / 8" neodymium flat woofer, 150 WRMS 2 Ohm, 36 mm / 1.42" round wire copper voice coil High-strength extremely flat IMPP cone Resonance free steel basket Fs 45.3 Hz, Qts 0.938, SPL 85 dB Mounting depth 55 mm / 2.17"	EUR 149,00
	GZRW 10XSPL	4037072018318	25 cm / 10" Subwoofer, 1200 W SPL Power 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, double spider Fs 44.3 Hz, Qts 0.749, SPL 82 db	EUR 175,00
	GZRW 12XSPL	4037072018325	30 cm / 12" subwoofer, 1500 W SPL Power 2 x 2 ohm, 75 mm / 3" copper voice coil, Reinforced paper cone, double spider Fs 31.8 Hz, Qts 0.684, SPL 83 db	EUR 219,00
	GZRW 30-D2	4037072018394	30 cm / 12" subwoofer, 800 WRMS 2 x 2 ohm, 75 mm / 3" copper voice coil, Reinforced paper cone, high x-max spider High-rolll sandwich surround, push terminals	EUR 219,00

5.6 TITANIUM

	GZTW 10F	4037072018271	25 cm / 10" Flat Subwoofer 2x 2 Ohm, 50 mm/ 2" copper voice coil High-strength, extremely flat IMPP cone Aluminum dustcap, push terminals	EUR 129,00
	GZTW 12F	4037072018288	30 cm / 12" Flat Subwoofer 2x 2 Ohm, 50 mm/ 2" copper voice coil High-strength, extremely flat IMPP cone Aluminum dustcap, push terminals	EUR 149,00

5.7 IRIDIUM

	GZIW 165X-II	4037072017755	16.5 cm / 6.5" subwoofer, 150 WRMS 4 ohm, 38 mm / 1.5" round wire copper voice coil, IMPP-cone, high-roll rubber surround, push terminals Fs 41.5 Hz, Qts 0.45, SPL 85.5 dB	EUR 59,00
	GZIW 200X-II	4037072017762	20 cm / 8" subwoofer, 150 WRMS 4 ohm, 38 mm / 1.5" copper voice coil, IMPP-cone, audiophile POLYCOT spider Fs 39.9 Hz, Qts 0.52, SPL 87 dB	EUR 75,00
	GZIW 250X-II	4037072017779	25 cm / 10" subwoofer, 250 WRMS 4 ohm, 50 mm / 2" copper voice coil, IMPP-cone, audiophile POLYCOT spider Fs 32.7 Hz, Qts 0.49, SPL 87 dB	EUR 99,00
	GZIW 300X-II	4037072017786	30 cm / 12" subwoofer, 350 WRMS 4 ohm, 50 mm / 2" copper voice coil, IMPP-cone, audiophile POLYCOT spider Fs 34.9 Hz, Qts 0.69, SPL 87 dB	EUR 119,00
	GZIW 10SPL	4037072016215	25 cm / 10" Subwoofer, 700 W SPL Power 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, High-Roll V-Shape surround, double layer spider Fs 40.8 Hz, Qts 0.62, SPL 84 dB	EUR 149,00
	GZIW 12SPL	4037072014419	30 cm / 12" subwoofer, 1000 W SPL Power 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, High-Roll V-Shape surround, double layer spider Fs 36.9 Hz, Qts 0.67 SPL, 86 dB	EUR 169,00
	GZIW 12SPL PINK	4037072015867	30 cm / 12" subwoofer, 1000 W SPL Power 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, High-Roll V-Shape surround, double layer spider Fs 36.9 Hz, Qts 0.67 SPL, 86 dB Pink colored basket, stitch and GZ logo	EUR 169,00
	GZIW 12SPL GREEN	4037072018653	30 cm / 12" subwoofer, 1000 W SPL Power 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, High-Roll V-Shape surround, double layer spider Fs 36.9 Hz, Qts 0.67 SPL, 86 dB Green colored basket, stitch and GZ logo	EUR 169,00
	GZIW 15SPL	4037072016222	38 cm / 15" Subwoofer, 1200 W SPL Power 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, High-Roll V-Shape surround, double layer spider Fs 39,9 Hz, Qts 0.54, SPL 91 dB	EUR 229,00

6. SPEAKERS				
6.1 REFERENCE				
	GZPT Reference 28 EVO	4037072018554	28 mm / 1.1" High End SQ silkdome tweeter Handmade in Germany and selected in pairs 4 ohm, 100 / 150 W, Fs 600 Hz, Coupled chamber High gloss chromed CNC machined aluminum housing 2-Layer hand-coated silkdome, solid metal dispersion Linearised dual-neodymium motor Delivered in Made in Germany wooden-box	EUR 1.299,00
	GZPT Reference 28 GOLD	4037072007695	GZPT 28 Reference Limited 24 K plated Gold Edition Handmade in Germany by Michael Feld	n/a
	GZPM Reference 80	4037072013788	8 cm / 3.15" High End SQ midrange Handmade in Europe and selected in pairs 4 ohm, 80 / 120 W, 150 Hz - 6 kHz, coated paper cone Linearised motor, Handmade machined aluminium basket Delivered in Made in Germany wooden-box	EUR 1.299,00
	GZMW Reference 180	4037072014242	18 cm / 7.09" High End SQ kick- / midwoofer Handmade in Europe and selected in pairs 4 ohm, 100 / 150 W, 40 Hz - 3.5 kHz, coated paper cone Linearised motor, Handmade machined aluminium basket Delivered in Made in Germany wooden-box	EUR 1.798,00
	GZPW Reference 250	4037072013405	25 cm / 10" High End SQ subwoofer Handmade in Germany 2 x 2 ohm, 500 WRMS, 50 mm / 2" copper voice coil High tech 3-layer sandwich cone, light-weight rubber surround, Double-layer BIMAX / Connex spider, Linearised high efficient motor with double ferrit magnet Delivered in Made in Germany wooden-box	EUR 1.499,00
	GZSP 28-TW	4037072014891	Machined aluminum tweeter housing For GZPT 28SX / GZPT Reference 28 / GZPT Reference 28B Including swiveling mounting accessories	EUR 249,00
	GZSP 80-MID	4037072014907	Machined aluminum tweeter housing For GZNM 80SQ / GZPM 80SQX 320 ml net volume Including two different swiveling mounting accessories	EUR 599,00

6.2 PLUTONIUM

	GZPT 28SX	4037072008791	28 mm / 1.1" High End SQ silkdome tweeter Handmade in Germany and selected in pairs 4 ohm, 100 / 150 W, Fs 750 Hz, Coupled chamber Black anodized CNC machined aluminum housing 2-Layer coated silkdome Delivered in Made in Germany Wooden-Box	EUR 599,00
	GZPT 28SX CHROME EDITION	4037072016642	28 mm / 1.1" High End SQ silkdome tweeter Handmade in Germany and selected in pairs 4 ohm, 100 / 150 W, Fs 750 Hz, Coupled chamber Chrome coated CNC machined aluminum housing 2-Layer coated silkdome Delivered in Made in Germany Wooden-Box	EUR 599,00
	GZPF 40SQ	4037072018646	40 mm / 1.6" full range speaker Handmade in Germany Aluminum cone Black anodized aluminum housing 4 ohm / Fs 400 Hz / Re 3.1 ohm / SPL 84 dB Power handling 50/80 Watts RMS/max.	EUR 499,00
	GZPM 80SQX	4037072012491	8 cm / 3.15" High End SQ midrange Made in Germany 4 Ohm, 70 / 110 W, 150 Hz - 4 kHz, Mounting depth 34 mm / 1.34" Magnesium cone, Neodymium magnet Delivered in Made in Germany wooden-box	EUR 379,00
	GZPK 16SQ	4037072012750	16,5 cm / 6.5" High End SQ kick- / midwoofer Made in Germany 4 Ohm, 130 / 210 W, 30 Hz - 3 KHz, Alu-ceramic cone, linearised ferrit motor Delivered in Made in Germany wooden-box	EUR 499,00
	GZPX 165SQ	4037072012941	High End 2 way crossover 1set passive crossover for GZPK 16SQ & GZPT 28SX Mundorf capacitors, MOX resistors <i>Delivered in Made in Germany wooden-box</i>	EUR 349,00
	GZPX 16.3SQ	4037072012958	High End 3 way crossover 1set 3 Way passive crossover for GZPK 16SQ & GZPT 28SX & GZPM 80SQX Mundorf capacitors, MOX resistors, Bi-Amping Delivered in Made in Germany wooden-box	EUR 449,00
	GZPC 165SQ	4037072012736	16,5 cm / 6.5" High End SQ 2 way compo Made in Germany 4 ohm, 200 / 300 W, 30 Hz - 30 KHz GZPK 16SQ / GZPT 28SX / GZPX 165SQ packed together in one wooden-box.	EUR 1.399,00
	GZPC 16.3SQ	4037072012927	16,5 cm / 6.5" High End SQ 3 way compo Made in Germany 3 ohm, 200 / 300 W, 30 Hz - 30 KHz GZPK 16SQ / GZPM 80SQX / GZPT 28SX / GZPX 16.3SQ packed together in one wooden-box.	EUR 1.499,00
	GZPC 165SQ-ACT	4037072012910	16,5 cm/6.5" High End SQ 2 way compo (ACT) Made in Germany 2 way Speaker system without crossovers for full-active use. GZPK 16SQ, GZPT 28SX packed together in one wooden-box.	EUR 1.099,00

	GZPC 16.3SQ-ACT	4037072012934	16,5 cm/6.5" High End SQ 3 way compo (ACT) Made in Germany 3 way Speaker system without crossovers for full-active use. GZPK 16SQ, GZPM 80SQX, GZPT 28SX packed together in one wooden-box.	EUR 1.249,00
--	------------------------	---------------	--	---------------------

	GZSP 28-TW	4037072014891	Machined aluminum tweeter housing For GZPT 28SX / GZPT Reference 28 / GZPT Reference 28B Including swiveling mounting accessories	EUR 249,00
	GZSP 80-MID	4037072014907	Machined aluminum tweeter housing For GZNM 80SQ / GZPM 80SQX 320 ml net volume Including two different swiveling mounting accessories	EUR 599,00

6.3 NUCLEAR

	GZNT 25SQ	4037072014273	25 mm / 1" SQ silkdome tweeter Made in Germany 4 ohm, 80 / 130 W, Fs 750 Hz, coupled chamber Black anodized CNC machined aluminum housing 2-Layer coated silkdome	EUR 379,00
	GZNF 50SQ	4037072018752	45 mm / 1.8" HQ full range speaker 4 ohm, 50/80 Watt, 350 Hz - 22 kHz Mounting depth 30 mm / 1.18" Black anodized aluminum cone	EUR 149,00
	GZNM 80SQ	4037072012446	8 cm / 3.15" SQ midrange Made in Germany 4 ohm, 60 / 100 W, 150 Hz - 5 KHz Mounting depth 34 mm / 1.34" Coated paper cone, linearised neodymium motor	EUR 259,00
	GZNK 165SQ	4037072014280	16,5 cm / 6.5" SQ kick- / midwoofer Made in Germany 4 ohm, 130 / 200 W, 40 Hz - 3 kHz Coated paper cone, linearised ferrit motor	EUR 329,00
	GZNC 1650SQ	4037072014587	16,5 cm / 6.5" SQ 2 way compo system Made in Germany 4 ohm, 150 / 250 W, 40 Hz - 26 kHz Coated paper cone, linearised ferrit motor 25 mm / 1" SQ Silkdome tweeter Black anodized CNC machined aluminum housing	EUR 799,00
	GZPX 16.3SQ	4037072012958	High-end 12 dB/oct. 3-way passive crossover for high-quality sound setups and SQ competition use Mundorf capacitors, MOX resistors, bi-amping option Tweeter high pass 3000 Hz, Midrange 200 - 3000 Hz, Kickwoofer low pass 200 Hz	EUR 449,00

6.4 URANIUM

	GZUT 25SQX	4037072014914	25 mm / 1" SQ silkdome tweeter 4 ohm, 70 / 120 W, Fs 750 Hz, damped coupled chamber	EUR 119,00
	GZUF 60SQX	4037072017687	6 cm / 2.36" SQ mid- / fullrange 4 ohm, 50 / 80W, 300 - 20 KHz Black anodized aluminum cone Neodymium magnet, copper cap Resonance free fiber composite basket	EUR 179,00
	GZUK 65SQX	4037072015256	16,5 cm / 6.5" SQ kick- / midwoofer 4 ohm, 120 / 200 W, 40 Hz - 4 KHz WFWC® "Wooden Fiber Woven Compound" cone LDW® "Low Distortion Wave" surround Pushterminal, Airflow optimized aluminum cast basket	EUR 199,00
	GZUC 650SQ-II	4037072015591	16,5 cm / 6.5" SQ 2 way compo system 4 ohm, 130 / 210 W, 40 Hz - 24 KHz WFWC® "Wooden Fiber Woven Compound" cone 25 mm / 1" Silkdome tweeter with coupled chamber	EUR 299,00
	GZUC 650SQX	4037072015232	16,5 cm / 6.5" SQ 2 way compo system 4 ohm, 140 / 220 W, 40 Hz - 25 KHz WFWC® "Wooden Fiber Woven Compound" cone LDW® "Low Distortion Wave" surround Airflow optimized aluminum cast basket 25 mm / 1" Silkdome tweeter with coupled chamber and machined aluminum housing	EUR 379,00
	GZUC 65.3SQX	4037072018103	Semi-active 3-way compo speaker system includes GZUC 650SQX and GZUF 60SQX	EUR 549,00

6.5 COMPETITION PRO				
	GZCT 19N-PRO S	4037072017502	High end compression tweeter 4 ohm, 30 / 100 W, SPL 109 dB, 3 - 22 KHz 25 mm / 1" CCAL voice coil Dispersion vert 60/30° / hor 45°, unsymetrical aluminum cast waveguide, titanium dome, neodymium magnet - silver price per piece	EUR 149,00
Picture coming soon	GZCT 19N-PROX B	No EAN yet	High end compression tweeter 4 ohm, 30 / 100 W, SPL 109 dB, 3 - 22 KHz 25 mm / 1" CCAL voice coil Dispersion vert 60/30° / hor 45°, unsymetrical aluminum cast waveguide, titanium dome, neodymium magnet - black price per piece	EUR 149,00
	GZCM 6.5N-PRO	4037072017274	165 mm / 6.5" competition pro midrange 4 ohm, 200 / 400 W, SPL 96 dB, 150 Hz - 12 KHz 38 mm / 1.5" CCAW voice coil, neodymium magnet Lightweight reinforced paper cone, aluminum cast basket price per piece	EUR 169,00
	GZCM 8.0N-PRO	4037072017298	200 mm / 8" competition pro midrange 4 ohm, 300 / 500 W, SPL 98 dB, 130 Hz - 10 KHz 63 mm / 2.5" CCAW voice coil, neodymium magnet Lightweight reinforced paper cone, aluminum cast basket price per piece	EUR 229,00
	GZCW 12.1200-PRO	4037072017724	High power midwoofer 4 Ohm, 800 / 1200 W, SPL 96 dB, 60 - 2800 Hz 100 mm / 4" 2-layer copper round wire "inside/outside" voice coil Fiber reinforced paper cone Aluminum cast basket price per piec	EUR 399,00
6.5 COMPETITION				
	GZCW 12-50	4037072012637	30 cm / 12" competition woofer 4 ohm, 300 / 600 W, SPL 96 dB, 50 Hz - 3 KHz 2-layer 50 mm / 2" copper round wire voice coil Fiber reinforced paper cone, steel basket price per piece	EUR 109,00
	GZCW 12-75SPL	4037072012644	30 cm / 12" competition woofer 4 ohm, 400 / 800 W, SPL 96 dB, 40 Hz - 3 KHz 2-layer 75 mm / 3" copper round wire voice coil Fiber reinforced paper cone, high roll w-surround, steel basket price per piece	EUR 219,00
	GZCM 6-4FX	4037072015355	16,5cm / 6,5" flat competition midrange 4 ohm, 100 / 250 W, SPL 94 dB, 160 Hz - 5 KHz 38 mm / 1.5" copper-clad aluminum round wire voice coil Fiber reinforced paper cone Extra flat steel basket price per piece	EUR 69,00
	GZCM 6-4PPX	4037072014488	16,5cm / 6,5" competition midrange 4 ohm, 150 / 400 W, SPL 95 dB, 150 Hz - 10 KHz 50 mm / 2" copper-clad aluminum round wire voice coil Fiber reinforced paper cone Aluminum cast basket and phaseplug price per piece	EUR 109,00
	GZCM 8-4FX	4037072012231	20 cm / 8" flat competition midrange 4 ohm, 100 / 400 W, SPL 94 dB, 150 Hz - 4 KHz 38 mm / 1,5" copper-clad aluminum round wire voice coil Fiber reinforced paper cone Extra flat steel basket price per piece	EUR 89,00

	GZCM 8-4PPX	4037072012248	20 cm / 8" competition midrange 4 ohm, 200 / 500 W, SPL 96 dB, 150 Hz - 10 KHz 50 mm / 2" copper-clad aluminum round wire voice coil Fiber reinforced paper cone Aluminum cast basket and phaseplug price per piece	EUR 129,00
--	--------------------	---------------	--	-------------------

	GZCM 10-4FX	4037072012255	25 cm / 10" flat competition midrange 4 ohm, 200 / 500 W, SPL 96 dB, 120 Hz - 5 KHz 50 mm / 2" copper-clad aluminum round wire voice coil Fiber reinforced paper cone Extra flat steel basket price per piece	EUR 109,00
	GZCM 10-4PPX	4037072012262	25 cm / 10" competition midrange 4 ohm, 300 / 600 W, SPL 96 dB, 120 Hz - 5 KHz 75 mm / 3" copper-clad aluminum round wire voice coil Fiber reinforced paper cone Aluminum cast basket and phaseplug price per piece	EUR 199,00
	GZCF 7104XSPL	4037072015577	180 x 250 cm / 7" x 10" 4 way coax speaker 4 ohm, 200 / 300 W, SPL 93 dB, 35 Hz - 25 KHz Fiber reinforced water repellent paper cone Ferrofluid-cooled paper cone midrange and PEI tweeter with 6 dB crossover and overload protection 15 x 23 cm / 6" x 9" mounting adapter included price per pair	EUR 149,00
	GZCF 165COAX	4037072014501	16,5 cm 6,5" competition 2 way coax speaker 4 ohm, 125 / 300 W, SPL 100 dB, 180 Hz - 25 KHz 40 mm / 1.57" copper-clad aluminum round wire voice coil 35 mm / 1.38" PEN dome compression tweeter, ABS horn Fiber reinforced paper cone, Extra flat aluminum cast basket Including 6 dB crossover price per piece	EUR 169,00
	GZCF 200COAX	4037072012279	20 cm / 8" competition 2 way coax speaker 4 ohm, 200 / 400 W, SPL 100 dB, 150 Hz - 25 KHz 50 mm / 2" copper-clad aluminum round wire voice coil 44.5 mm / 1.75" Titanium dome compression tweeter, ABS horn Fiber reinforced paper cone, Extra flat aluminum cast basket including 6 dB crossover price per piece	EUR 189,00
	GZCK 165SPL	4037072015218	16,5 cm / 6.5" competition kick- / midwoofer 4 ohm, 100 / 250 W, SPL 93 dB, 50 Hz - 4 KHz, 38 mm / 1.5" copper-clad aluminum round wire voice coil Fiber reinforced pressed paper cone High X-Max foam W-surround price per piece	EUR 69,00
	GZCK 200SPL	4037072015492	20 cm / 8" competition kick- / midwoofer 4 ohm, 150 / 300 W, SPL 93 dB, 50 Hz - 6 KHz, 38 mm / 1.5" copper-clad aluminum round wire voice coil Fiber reinforced pressed paper cone High X-Max foam W-surround price per piece	EUR 99,00
	GZCK 250SPL	4037072017250	25 cm / 10" competition kick- / midwoofer 4 ohm, 200 / 400 W, SPL 95 dB, 40 Hz - 6 KHz, 50 mm / 2" copper-clad aluminum round wire voice coil Fiber reinforced pressed paper cone High X-Max foam W-surround price per piece	EUR 139,00
	GZCT 0500X	4037072012163	43 mm / 1.69" compression tweeter 4 ohm, 30 / 100 W, SPL 102 dB, 4 - 25 KHz 25 mm / 1" copper-clad aluminium flat wire voice coil Aluminium dome, aluminum cast baffle, plastic bullet Including optional highpass filter (3,3µF capacitor) price per piece	EUR 69,00
	GZCT 1000X	4037072017236	100 x 75 mm / 4" x 3" Compression tweeter 4 ohm, 30 / 100 W, SPL 105 dB, 5 - 20 KHz 25 mm / 1" copper-clad aluminum round wire voice coil Aluminum dome, aluminum cast baffle, aluminum bullet Wide range 90° x 60° dispersion Including optional highpass filter (3,3µF capacitor) price per piece	EUR 39,00

	GZCT 3000X	4037072018608	102 x 102 mm / 4.02 x 4.02" High power compression tweeter 4 ohm, 40 / 120 W, SPL 105 dB, 4 - 25 KHz 38 mm / 1,8" copper-clad aluminium flat wire voice coil Aluminium dome, aluminum cast baffle, aluminum bullet Including optional highpass filter (3,3µF capacitor) price per piece	EUR 79,00
	GZCT 3500X-B	4037072012200	98 mm / 3.86" High power compression tweeter (black) 4 ohm, 30 / 100 W, SPL 99 dB, 3 - 25 KHz 25 mm / 1" copper-clad aluminium round wire voice coil Aluminium dome, alu cast baffle, aluminum bullet Including optional highpass filter (3,3µF capacitor) price per piece	EUR 25,00
	GZCT 3500X-S	4037072012217	98 mm / 3.86" High Power compression tweeter (silver) 4 ohm, 30 / 100 W, SPL 99 dB, 3 - 25 KHz 25 mm / 1" copper-clad aluminium round wire voice coil Aluminium dome, alu cast baffle, aluminum bullet Including optional highpass filter (3,3µF capacitor) price per piece	EUR 25,00
	GZCT 4000X	4037072012224	160 x 120 mm / 6.3" x 4.7" High power compression tweeter 4 ohm, 50 / 140 W, SPL 103 dB, 2.5 - 20 KHz 44,5 mm / 1.75" copper-clad aluminum round wire voice coil Aluminum dome, aluminum cast baffle, aluminum bullet Wide range 90° x 60° dispersion Including optional highpass filter (3,3µF capacitor) price per piece	EUR 69,00
	GZCT 5000SPL	4037072012675	200 x 150 mm / 8" x 5.9" High power compression tweeter (yellow) 4 ohm, 70 / 180 W, SPL 108 dB, 1.5 - 20 KHz 44,5 mm / 1.75" copper clad aluminium round wire voice coil Elliptical tractrix horn, titanium dome, ABS plastic baffle wide range 90° x 60° dispersion Including optional highpass filter (3,3µF capacitor) price per piece	EUR 109,00
	GZCT 5000SPL-B	4037072014129	200 x 150 mm / 8" x 5.9" High power compression tweeter (black) 4 ohm, 70 / 180 W, SPL 108 dB, 1.5 - 20 KHz 44,5 mm / 1.75" copper clad aluminium round wire voice coil Elliptical tractrix horn, titanium dome, ABS plastic baffle wide range 90° x 60° dispersion Including optional highpass filter (3,3µF capacitor) price per piece	EUR 109,00
	GZCT 25SQL	4037072017458	25 mm / 1" competition horn SQ tweeter 4 ohm, 100 / 150 W, SPL 93 dB, 3 - 22 KHz 25 mm / 1" Kapton voice coil Coated silk dome, aluminum cast waveguide, shielded neodymium magnet, ferrofluid cooling, aluminum heat sink price per piece	EUR 49,00
	GZCX 8-4Coax-SPL	4037072008470	2 way crossover For GZCF 8-4Coax-SPL price per piece	EUR 25,00
	GZCX 130/160	4037072003390	2 way crossover To combine all GZCM with any GZCT	EUR 89,00

6.6 RADIOACTIVE

	GZRT 25T	4037072015881	25 mm / 1" titanium dome tweeter 3 ohm, 70 / 100 W, 3 - 26 KHz With slant housing, accessories and highpass filter (3,3µF capacitor)	EUR 99,00
	GZRK 16AL	4037072015782	16,5 cm / 6.5" HQ kick- / midwoofer 3 ohm, 110 / 160 W, 35 Hz - 4 KHz High efficient voice coil Aluminum cone, Rubber surround, Nomex spider Copper cap for impedance linearizing	EUR 89,00
	GZMW 165X-NEO	4037072017335	16,5 cm/ 6.5" extra flat kick- /midwoofer (pair) 3 ohm, 90 / 140 W, 50 Hz - 4 KHz High efficient voice coil Coated paper cone, Rubber surround, Nomex spider	EUR 179,00
	GZMW 200X-NEO	4037072015614	20 cm / 8" extra flat kick- / midwoofer (piece) 3 ohm, 100 / 160 W, 35 Hz - 3.5 KHz High efficient voice coil Coated paper cone, Rubber surround, Nomex spider	EUR 99,00
	GZRF 40AL	4037072016253	10 cm / 4" HQ 2 way coax speaker 3 ohm, 70 / 110 W, 70 Hz - 25 KHz High efficient voice coil Aluminum cone, rubber surround, Nomex spider 13 mm / 0.51" PEI tweeter with overload protection	EUR 75,00
	GZRF 52AL	4037072016277	13 cm / 5.25" HQ 2 way coax speaker 3 ohm, 80 / 120 W, 60 Hz - 25 KHz High efficient voice coil rubber surround, Nomex spider 13 mm / 0.51" PEI tweeter with overload protection	Aluminum cone, EUR 85,00
	GZRF 65AL	4037072015843	16,5 cm / 6,5" HQ 2 way coax speaker 3 ohm, 100 / 140 W, 50 Hz - 25 KHz High efficient voice coil Aluminum cone, rubber surround, Nomex spider 13 mm / 0.51" PEI tweeter with overload protection MTK capacitor	EUR 89,00
	GZRF 69AL	4037072015829	15 x 23 cm / 6" x 9" HQ 3 way coax speaker 3 ohm, 130 / 200 W, 40 Hz - 25 KHz High efficient voice coil Aluminum cone, rubber surround, Nomex spider 13 mm / 0.51" PEI tweeter with overload protection 50 mm / 2" PEI midrange with overload protection	EUR 129,00

	GZRC 100NEO-IV	4037072016987	10 cm / 4" HQ flat 2 way compo system 3 ohm, 80 / 120 W, 80 Hz - 26 KHz High efficient inside neodymium magnet Coated paper cone, rubber surround 25 mm / 1" Titanium dome tweeter Easy to install in-line crossovers Mounting depth 31 mm / 1.22" Including surface-mounted housing GZTH 25B	EUR 199,00
	GZRC 130AL-IV	4037072016703	13 cm / 5.25" HQ 2 way compo system 3 ohm, 100 / 160 W, 60 Hz - 26 KHz Aluminum cone, rubber surround, Nomex spider Copper cap for impedance linearizing, high efficient voice coil 25 mm / 1" Titanium dome tweeter Easy to install in-line crossovers Including surface-mounted housing GZTH 25B	EUR 185,00
	GZRC 165AL-IV	4037072016444	16,5 cm / 6.5" HQ 2 way compo system 3 ohm, 120 / 190 W, 35 Hz - 26 KHz Aluminum cone, rubber surround, Nomex spider Copper cap for impedance linearizing, high efficient voice coil 25 mm / 1" Titanium dome tweeter Easy to install in-line crossovers Including surface-mounted housing GZTH 25B	EUR 199,00
	GZRC 165NEO-IV	4037072017311	16,5 cm / 6.5" HQ flat 2 way compo system 3 ohm, 110 / 170 W, 50 Hz - 26 KHz High efficient inside neodymium magnet Coated paper cone, rubber surround 25 mm / 1" Titanium dome tweeter Easy to install in-line crossovers Mounting depth 48 mm / 1.89" Including surface-mounted housing GZTH 25B	EUR 299,00
	GZRC 165AL WHITE	4037072016666	16,5 cm / 6.5" HQ 2 way compo system "WHITE EDITION" 3 ohm, 120 / 190 W, 35 Hz - 26 KHz High efficient voice coil Aluminum cone, rubber surround, Nomex spider Copper cap for impedance linearizing 25 mm / 1" aluminum dome tweeter, machined aluminum housing Including surface-mounted housing GZTH 25W	EUR 249,00
	GZRC 200NEO-IV	4037072016468	20 cm / 8" HQ flat 2 way compo system 3 ohm, 120 / 190 W, 35 Hz - 26 KHz High efficient inside neodymium magnet Coated paper cone, rubber surround 25 mm / 1" Titanium dome tweeter Easy to install in-line crossovers Mounting depth 57 mm / 2.24" Including surface-mounted housing GZTH 25B	EUR 349,00
	GZRX 2-Way Kick	4037072003994	2 way & kick crossover Universal Kickwoofer-Crossover, to add any Kickwoofer to an existing Speakersystem. Highpass-Filter 90 / 150 Hz Lowpass-Filter 200 / 250 Hz	EUR 109,00
	GZTH 25B	4037072016482	High quality surface-mounted housing - 1 pair Plastic injection housing with black rubber-touch surface finish Suitable for: GZRT 25T, GZUT 25SQX*, GZNT 25SQ*, GZRC165AL*, GZRC AL-IV series**, GZRC NEO-IV** *diameter may vary - individual installation possible **GZTH 25B already included in delivery	EUR 14,00
	GZTH 25W	4037072017007	High quality surface-mounted housing - 1 pair Plastic injection housing with white surface finish Suitable for: GZRT 25T, GZUT 25SQX*, GZNT 25SQ* *diameter may vary - individual installation possible GZTH 25W included in delivery of GZRC 165AL-White Edition	EUR 14,00

6.7 TITANIUM

	GZHT 19X	4037072008555	19 mm / 0.79" silk dome tweeter 4 ohm, 40 / 70 W, 3.5 - 20 KHz With accessories and optional highpass filter (3,3µF capacitor)	EUR 39,00
	GZHT 25X	4037072008562	25 mm / 1" silk dome tweeter 4 ohm, 60 / 100 W, 3 - 20 KHz With accessories and optional highpass filter (3,3µF capacitor)	EUR 55,00
	GZTF 10	4037072017939	10 cm / 4" 2-way coax speaker Efficient 3 ohm voice coil Power input 70 Watt RMS / 100 Watt max Frequency range 70 Hz - 22 KHz HQPP-structure cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design grill included	EUR 55,00
	GZTF 13	4037072017953	13 cm / 5.25" 2-way coax speaker Efficient 3 ohm voice coil Power input 80 Watt RMS / 110 Watt max Frequency range 60 Hz - 22 KHz HQPP-structure cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design grill included	EUR 65,00
	GZTF 16	4037072017977	16,5 cm / 6.5" 2-way coax speaker Efficient 3 ohm voice coil Power input 90 Watt RMS / 130 Watt max Frequency range 50 Hz - 22 KHz HQPP-structure cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design grill included	EUR 79,00
	GZTF 69	4037072017991	6x9" 3 way coaxial system 3 ohm / 130/190 Watt RMS/max. Frequency range 40 Hz - 22 KHz Yellow color, structured HQPP-cone Resonance free GZ steel basket 13 mm / 0.51" Mylar tweeter / 55 mm / 2.17" Mylar midrange GZ design grill	EUR 115,00
	GZTC 130	4037072018776	13 cm / 5.25" 2 way compo system 3 ohm / 80/130 Watt RMS/max. Frequency range 60 Hz - 22 KHz Yellow color, structured HQPP-cone Resonance free GZ steel basket 19 mm / 0.75" Silk dome tweeter Compact 12 dB/oct. high pass crossovers for tweeter 6 dB/oct. low pass filter / GZ design grill	EUR 129,00
	GZTC 165	4037072017915	16,5 cm / 6.5" 2 way compo system 3 ohm / 100/150 Watt RMS/max. Frequency range 50 Hz - 22 KHz Yellow color, structured HQPP-cone Resonance free GZ steel basket 19 mm / 0.75" Silk dome tweeter Compact 12 dB/oct. high pass crossovers for tweeter 6 dB/oct. low pass filter / GZ design grill	EUR 149,00

6.8 IRIDIUM

	GZIF 40X	4037072015003	10 cm / 4" 2 way coax speaker 4 ohm, 60 / 100 W, 80 Hz - 20 KHz HQPP cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design-Grill	EUR 39,00
	GZIF 52X	4037072015010	13 cm / 5.25" 2 way coax speaker 4 ohm, 70 / 110 W, 60 Hz - 20 KHz HQPP cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design-Grill	EUR 48,00
	GZIF 65X	4037072015027	16,5 cm / 6.5" 2 way coax speaker 4 ohm 80 / 120 W, 50 Hz - 20 KHz HQPP cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design-Grill	EUR 55,00
	GZIF 69X	4037072015034	15 x 23 cm / 6" x 9" 3 way triax speaker 4 ohm, 120 / 180 W, 40 Hz - 20 KHz HQPP cone, Resonance free steel basket High power Mylar tweeter and midrange Design-Grill	EUR 79,00
	GZIF 4001FX	4037072014143	10 cm / 4" flat 2 way coax speaker extra flat only 30 mm / 1.18" 4 ohm, 50 / 90 W, 80 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design-Grill	EUR 59,00
	GZIF 5201FX	4037072014150	13 cm / 5.25" flat 2 way coax speaker extra flat only 37 mm / 1.46" 4 ohm, 60 / 100 W, 70 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design-Grill	EUR 69,00
	GZIF 6501FX	4037072014167	16,5 cm / 6.5" flat 2 way coax speaker extra flat only 44 mm / 1.73" 4 ohm 70 / 110 W, 60 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design-Grill	EUR 79,00

	GZIC 13X	4037072014969	13 cm / 5.25" 2 way compo system 4 ohm, 90 / 140 W, 60 Hz - 20 KHz HQPP cone, Resonance free steel basket 19 mm / 0.75" Softdome tweeter Compact inline crossovers for easy install Design-Grill	EUR 74,00
	GZIC 16X	4037072014983	16,5 cm / 6.5" 2 way compo system 4 ohm, 100 / 150 W, 50 Hz - 20 KHz HQPP cone, Resonance free steel basket 19 mm / 0.75" Softdome tweeter Compact inline crossovers for easy install Design-Grill	EUR 79,00
	GZIC 400FX	4037072014174	10 cm / 4" flat 2 way compo system extra flat only 30 mm / 1.18" 4 ohm, 60 / 100 W, 70 Hz - 20 KHz Coated paper cone, Resonance free GZ steel basket 19 mm / 0.75" silkdome tweeter 12 dB cable-crossover incl. tweeter protection	EUR 139,00
	GZIC 525FX	4037072016680	13 cm / 5.25" flat 2 way compo system extra flat only 36 mm / 1.42" mounting depth 4 ohm, 80 / 120 W, 60 Hz - 20 KHz Coated paper cone, Resonance free GZ steel basket 19 mm / 0.75" silkdome tweeter 12 dB in-line crossover incl. tweeter protection	EUR 139,00
	GZIC 650FX	4037072014181	16,5 cm / 6.5" flat 2 way compo system extra flat only 44 mm / 1.73" 4 ohm, 100 / 140 W, 50 Hz - 20 KHz Coated paper cone, Resonance free GZ steel basket 19 mm / 0.75" silkdome tweeter 12 dB cable-crossover incl. tweeter protection	EUR 159,00

7. MULTIMEDIA				
7.1				
	GZHP 40-OE	4037072013528	Foldable on-ear headphone 100 db, 32 ohm, 20 Hz - 20 KHz High quality 40 mm / 1.57" Neodymium speaker, Microphone Control Button (Phone Call Pick Up & Hang Up/ Track skip/Play/Pause) Cable Length 1.20m / 47.24"	EUR 59,00
	GZHP 10-IE	4037072018011	Powerful stereo in-ear headphone / headset function 98 db, 32 ohm, 20 Hz - 20 KHz High quality 10 mm / 0.4" neodymium speaker Microphone control button (phone call pick up & hang up / track skip / play / pause) Cable length 1.2 m / 3.9 ft	EUR 29,50
8. ACCESSORIES				
8.1 SPEAKER TEST SYSTEM				
	GZ STS	4037072017373	Audio measurement software Speaker installation test, failure indicator Speaker enclosure measurement, air leak indicator Enclosure tuning identifier Speaker parameter measurement Compact USB interface with molded test leads Compatible with Win XP, Vista, 7, 8 and 10	EUR 149,00
8.2 CAPACITORS				
	GZTC 1.0FX	4037072008166	1.0 Farad power capacitor 16 Volt surge, resistance <0,0020 ohm, +/- 20%, incl. plexiglas brackets, white LED display	EUR 99,00

8.3 CABLE KITS

	GZCC 1.3X	4037072018059	1 m / 3.3 ft RCA cable Triple shielded signal wire with isolated RCA connectors	EUR 4,95
	GZCC 5.1XLC	4037072008951	5 m / 16.4 ft RCA cable Single shielded signal wire with isolated RCA connectors (as included in GZPK 10XLC)	EUR 7,00
	GZCC 5.3X	4037072008944	5 m / 16.4 ft RCA cable Triple shielded signal wire with isolated RCA connectors (as included in GZPK10X/20X)	EUR 11,00
	GZCC 0.57X-TP	4037072010770	PI sized Sound Quality RCA cable 0,57 m / 1 ft 10.5" - Triple shielded	EUR 17,00
	GZCC 1.14X-TP	4037072010787	PI sized Sound Quality RCA cable 1,14 m / 3 ft 8.9" - Triple shielded	EUR 20,00
	GZCC 3.14X-TP	4037072010794	PI sized Sound Quality RCA cable 3,14 m / 10 ft 3.6" - Triple shielded	EUR 25,00
	GZCC 5.49X-TP	4037072010800	PI sized Sound Quality RCA cable 5,49 m / 18 ft - Triple shielded	EUR 30,00
	GZCY 30X	4037072008937	Y adapter 1 female in - 2 male out	EUR 3,00


	GZPK 10XLC	4037072008968	10 mm ² cable kit 5.2 m / 17 ft power cable red 0.8 m / 2 ft power cable black 5 m / 16 ft RCA cable single shield 1.5 m / 4.9 ft speaker cable 60 A AGU fuseholder, various accessories	EUR 25,00
	GZPK 10X	4037072008975	10 mm ² cable kit 5,2 m / 17ft 0.7244098in Powercable red 0,8 m / 2ft 7.496063in Powercable black 5 m / 16ft 4.850394in RCA triple shield with remote 60 A MANL Fuseholder, div. accessories	EUR 27,00
	GZPK 20X	4037072008982	20 mm ² Cable kit 5,2 m / 17ft 0.7244098in Powercable red 0,8 m / 2ft 7.496063in Powercable black 5 m / 16ft 4.850394in RCA triple shield with remote 80 A MANL Fuseholder, div. Accessories	EUR 45,00
	GZPK 35X	4037072008999	35 mm ² cable kit 5,2 m / 17ft 0.7244098in Powercable red 0,8 m / 2ft 7.496063in Powercable black 5 m / 16ft 4.850394in RCA triple shield with remote 200 A ANL Fuseholder, div. Accessories	EUR 75,00
	GZPK 50X	4037072009002	50 mm ² cable kit 5,2 m / 17ft 0.7244098in Powercable red 0,8 m / 2ft 7.496063in Powercable black 5 m / 16ft 4.850394in RCA triple shield with remote 300 A ANL Fuseholder, div. accessories	EUR 99,00
8.4 CABLE SPOOLS				
	GZPC 10R	4037072009262	Red 10 mm ² Power cable spool 50m / 164ft 0.5039400in spool Positive 10 mm ² , 7*81/0.15 CCA - OD 6.7mm / 0.26" High flexibility	EUR 100,00
	GZPC 10B	4037072009279	Black 10 mm ² power cable spool 50m / 164ft 0.5039400in spool Negative 10 mm ² , 7*81/0.15 CCA - OD 6.7mm / 0.26" High flexibility	EUR 100,00
	GZPC 20R	4037072009286	Red 20 mm ² power cable spool 50m / 164ft 0.5039400in spool Positive 20 mm ² , 7*7*23/0.15 CCA - OD 10mm / 0.39" High flexibility	EUR 200,00
	GZPC 20B	4037072009293	Black 20 mm ² power cable spool 50m / 164ft 0.5039400in spool Negative 20 mm ² , 7*7*23/0.15 CCA - OD 10mm / 0.39" High flexibility	EUR 200,00
	GZPC 35R	4037072009309	Red 35 mm ² power cable spool 30m / 98ft 5.102364in spool Positive 35 mm ² , 7*7*40/0.15 CCA - OD 12.8mm / 0.504" High flexibility	EUR 210,00

	GZPC 35B	4037072009316	Black 35 mm ² power cable spool 30m / 98ft 5.102364in spool Negative 35 mm ² ; 7*7*40/0.15 CCA - OD 12.8mm / 0.504" High flexibility	EUR 210,00
--	-----------------	---------------	---	-------------------


	GZPC 50R	4037072009323	Red 50 mm² power cable spool 20m / 65ft 7.401576in spool Positive 50 mm²; 7*7*58/0.15 CCA - OD 15.5mm / 0.61" High flexibility	EUR 200,00
	GZPC 50B	4037072009330	Black 50 mm² power cable spool 20m / 65ft 7.401576in spool Negative 50 mm²; 7*7*58/0.15 CCA - OD 15.5mm / 0.61" High flexibility	EUR 200,00
	GZPC 20B OFC	4037072013337	Black 20mm² power cable spool 30m / 98ft 5.102364in spool Negative 20mm² OFC - pure copper High flexibility	EUR 330,00
	GZPC 35B OFC	4037072013351	Black 35mm² power cable spool 30m / 98ft 5.102364in spool Negative 35mm² OFC - pure copper High flexibility	EUR 570,00
	GZPC 35Y OFC	4037072013344	Yellow 35mm² power cable spool 30m / 98ft 5.102364in spool Positive 35mm² OFC - pure copper High flexibility	EUR 570,00
	GZSC 2-0.75	4037072009347	0.75 mm² speaker cable spool 200m / 656ft 2.015760in spool Frosted black; 2*42/0.15CCA - OD 2.4+2.4mm / 0.094"+0.094"	EUR 85,00
	GZSC 2-1.50	4037072009354	1.50 mm² speaker cable spool 200m / 656ft 2.015760in spool Frosted black; 2*85/0.15CCA - OD 3+3mm / 0.118"+0.118"	EUR 135,00
	GZSC 2-2.50	4037072009361	2.50 mm² speaker cable spool 200m / 656ft 2.015760in spool Frosted black; 2*7*20/0.15CCA - OD4.2+4.2mm / 0.165"+0.165"	EUR 240,00
	GZSC 2-4.00	4037072009378	4.00 mm² speaker cable spool 100m spool / 328ft 1.007880in Frosted black; 2*7*32/0.15CCA - OD 5+5mm / 0.197"+0.197"	EUR 185,00

	GZSC 1.5X2 OFC	4037072018141	2 x 1.50 mm ² speaker cable OFC - pure copper 100m / 328ft on wooden spool black & yellow; OD 3+3mm / 0.118"+0.118"	EUR 149,00
	GZSC 2.5X2 OFC	4037072018158	2 x 2.50 mm ² speaker cable OFC - pure copper 100m / 328ft on wooden spool black & yellow; OD 3,8+3,8mm / 0.165"+0.165"	EUR 249,00
	GZSC 4.0X2 OFC	4037072018165	2 x 4.00 mm ² speaker cable OFC - pure copper 75m / 246ft on wooden spool black & yellow; OD 4,5+4,5mm / 0.197"+0.197"	EUR 299,00
	GZSC 6.0X2 OFC	4037072018172	2 x 6.00 mm ² speaker cable OFC - pure copper 50m / 164ft on wooden spool black & yellow; OD 6+6mm / 0.262"+0.262"	EUR 299,00
	GZSC 10X2 OFC	4037072018189	2 x 10.00 mm ² speaker cable OFC - pure copper 50m / 164ft on wooden spool black & yellow; OD 6,8+6,8mm / 0.298"+0.298"	EUR 499,00
	GZSC REF 1.5S-OFc	4037072009996	1.5 mm ² REFERENCE speaker cable spool 48m spool / 157ft 5.763782in Pure OFC (99,9997%), with 50% silver plated wires	EUR 240,00
	GZSC REF 4.0S-OFc	4037072010015	4.0 mm ² REFERENCE speaker cable spool 30m / 98ft 5.102364in spool Pure OFC (99,9997%), with 50% silver plated wires	EUR 390,00
	GZCC REF. 1.57RH	4037072012828	High End REFERENCE RCA cable Rhodium connectors, carbon shell High End OCC wire High purity OFC braiding and silver soldering 1,57 m / 61.81"	EUR 199,00
	GZCC REF. 3.14RH	4037072012835	High End Reference RCA cable Rhodium connectors, carbon shell, High End OCC wire, High purity OFC braiding and silver soldering, 3,14 m / 123.62"	EUR 249,00

8.5 DAMPING

	GZDR 1000	4037072008524	Heavy duty wooden roller for damping material	EUR 19,00
	GZDM 1900MC-GOLD	4037072015447	Multi component damping mat 7 mm / 0.28" Bitumen saturated damping material based on viscous elastic polyurethane foam for soundproofing in combination with a layer of polymer based butyl rubber and aluminum foil outer surface. 10 sheets, each 37.5 x 50 cm = 1.875 m ²	EUR 99,00
	GZDM 1900ML-GOLD	4037072015416	Multilayer damping mat 4.2 mm / 0.165" New bitumen product developed under aeronautic aspects. Very flexible multi-layered damping material with a layer of polymer based on butyl rubber in combination with bitumen mastic and aluminum foil outer surface. 10 sheets, each 37.5 x 50 cm = 1.875 m ²	EUR 139,00
	GZDM 3750AB-SILVER	4037072015430	Alubutyl dampingmat 1.7 mm / 0.067" 10 sheets, each 75 x 50 cm = 40.36 ft ²	EUR 99,00
	GZDM 3750AB-GOLD	4037072015423	Alubutyl dampingmat 2.2 mm / 0.087" 10 sheets, each 75 x 50 cm = 40.36 ft ²	EUR 119,00
	GZDM DOORKIT	4037072016659	Essential damping set for 2 doors Box includes 8 sheets (50 x 37.5 cm) GZDM 3750AB-SILVER 4 sheets (50 x 37.5 cm) GZDF 1500SA 2 sheets (50 x 37.5 cm) 8 mm polyethylene foam 4 boxes = 1 master carton	EUR 79,00
	GZDF 1500SA	4037072017021	High efficient viscous-elastic damping material Self-adhesiv formed sound absorbing polyurethane foam 8 sheets, each 50 x 37.5 cm = 1.5 m ² / 16.15 ft ² 4 boxes = 1 master carton	EUR 99,00
	GZDF 400SI	4037072017489	High density waterproof damping material Self-adhesive noise damping and insulating poeethylene foam 20 sheets, each 50 x 37.5 cm = 3.75 m ² / 40.36 ft ² 5 boxes = 1 master carton	EUR 79,00

8.6 PORTS & GRILLS

	GZAP 80A	4037072006155	Ground Zero Aeroport with 30cm / 12" tube in anthracite	EUR 24,00
	GZAP 80B	4037072006162	Ground Zero Aeroport with 30cm / 12" tube in black	EUR 24,00
	GZMG 38/15	4037072004168	New wave design metal bracket for subwoofer boxes suitable for 38 cm / 15" subwoofers	EUR 29,00
	GZMG 165 / 6.5	4037072004182	Design grill for GZNW 6.5 and all further 16.5cm speakers	EUR 99,00
	GZBRK 290	4037072006940	8mm bracket for high excursion subwoofers length 290 mm, height 50 mm	EUR 8,00
	GZBRK 425	4037072007336	8 mm bracket for high excursion subwoofers length 425 mm, height 50 mm	EUR 10,00

	GZTG 200T	4037072000566	20 cm / 8" protection grill for 20 cm / 8" woofers	EUR 12,00
	GZTG 250T	4037072002126	25 cm / 10" protection grill for 25 cm / 10" woofers	EUR 14,00
	GZTG 300T	4037072001693	30 cm / 12" protection grill for 30 cm / 12" woofers	EUR 16,00
	GZTG 380T	4037072002133	38 cm / 15" protection grill for 38 cm / 15" woofers	EUR 29,00
	GZCG 20SC	4037072008494	20 cm / 8" protection grill for 20 cm / 8" woofers	EUR 15,00
	GZRW 8FL Grill	4037072015638	20 cm / 8" protection grill for 20 cm / 8" woofers	EUR 8,00

8.7 POWER ACCESSORIES

	GZFU 40A/2 MANL	4037072011562	Mini ANL fuse 40 A 2 Pcs in blister	EUR 5,00
	GZFU 60A/2 MANL	4037072011579	Mini ANL fuse 60 A 2 Pcs in blister	EUR 5,00
	GZFU 80A/2 MANL	4037072011241	Mini ANL fuse 80 A 2 Pcs in blister	EUR 5,00
	GZFU 100A/2 MANL	4037072011258	Mini ANL fuse 100 A 2 Pcs in blister	EUR 5,00
	GZFU 150A/2 MANL	4037072011265	Mini ANL fuse 150 A 2 Pcs in blister	EUR 5,00
	GZFU 200A/2 MANL	4037072011272	Mini ANL fuse 200 A 2 Pcs in blister	EUR 5,00
	GZFU 100A/1 ANL	4037072011289	ANL fuse 100 A 1 Pc in blister	EUR 6,00
	GZFU 150A/1 ANL	4037072011296	ANL fuse 150 A 1 Pc in blister	EUR 6,00
	GZFU 200A/1 ANL	4037072011302	ANL fuse 200 A 1 Pc in blister	EUR 6,00

	GZFU 300A/1 ANL	4037072011319	ANL fuse 300 A 1 Pc in blister	EUR 6,00
	GZFU 400A/1 ANL - SPL	4037072011586	ANL fuse 400 A 1 Pc in blister	EUR 6,00
 10 Pcs.	GZFU 40A/10 MANL	4037072011722	Mini ANL fuse 40 A 10 Pcs in poly bag	EUR 11,00
 10 Pcs.	GZFU 60A/10MANL	4037072011739	Mini ANL fuse 60 A 10 Pcs in poly bag	EUR 11,00
 10 Pcs.	GZFU 80A/10MANL	4037072011746	Mini ANL fuse 80 A 10 Pcs in poly bag	EUR 11,00
 10 Pcs.	GZFU 100A/10MANL	4037072011753	Mini ANL fuse 100 A 10 Pcs in poly bag	EUR 11,00
 10 Pcs.	GZFU 150A/10MANL	4037072011760	Mini ANL fuse 150 A 10 Pcs in poly bag	EUR 11,00
 10 Pcs.	GZFU 200A/10MANL	4037072011777	Mini ANL fuse 200 A 10 Pcs in poly bag	EUR 11,00
 10 Pcs.	GZFU 100A/10ANL	4037072011784	ANL fuse 100 A 10 Pcs in poly bag	EUR 23,00
 10 Pcs.	GZFU 150A/10ANL	4037072011791	ANL fuse 150 A 10 Pcs in poly bag	EUR 23,00

 10 Pcs.	GZFU 200A/10ANL	4037072011807	ANL fuse 200 A 10 Pcs in poly bag	EUR 23,00
---	------------------------	---------------	--------------------------------------	------------------

 10 Pcs.	GZFU 300A/10ANL	4037072011814	ANL fuse 300 A 10 Pcs in poly bag	EUR 23,00
 10 Pcs.	GZFU 400A/10ANL	4037072011821	ANL fuse 400 A 10 Pcs in poly bag	EUR 27,00
	GZFH 1.50/1.50 ANL/MANL	4037072010817	ANL / MANL fuse holder Input 1 x 50 mm ² / 0 AWG - Output 1 x 50 mm ² / 0 AWG	EUR 35,00
	GZFH 1.50/2.20 ANL/MANL	4037072010824	ANL / MANL fuse holder Input 1 x 50 mm ² / 0 AWG - Output 2 x 20 mm ² / 4 AWG	EUR 39,00
	GZFH 1.20/1.20 MANL	4037072010831	MANL fuse holder Input 1 x 20 mm ² / 4 AWG - Output 1 x 20 mm ² / 4 AWG	EUR 19,00
	GZFH 1.20 IL-MANL	4037072011548	MANL in-line fuse holder Input 1 x 20 mm ² / 4 AWG - Output 1 x 20 mm ² / 4 AWG	EUR 7,00
	GZFH 3.50/4.20 ANL/MANL	4037072010848	ANL / MANL fuse holder Input 3 x 50 mm ² / 4 AWG - Output 4 x 20 mm ² / 4 AWG	EUR 75,00
	GZBT 2.50 MANL-POS	4037072010855	Battery terminal (+) with MANL fuse, Output 2 x 50 mm ² / 0 AWG Direct (2 x 50 mm ² / 0 AWG Fused with MANL)	EUR 39,00
	GZBT 2.50 NEG	4037072010862	Battery terminal (-) Output 1 x 50 mm ² / 0 AWG	EUR 35,00
	GZDB 3.50/4.20	4037072010879	Distribution block Input 3 x 50 mm ² / 0 AWG - Output 4 x 20 mm ² / 4 AWG	EUR 39,00